



JC052

JC753

**Malzeme:**

- Metal gövde
- Krom çerçeve
- Opal cam
- Kaplama

Material:


- Steel housing
- Chrome frame
- Opal glass
- Plated

Renk:

- Krom

Colour:

- Chrome



E 14



Spiral



2x11 W



41x41x21.5 cm



6 pcs



JC758

**Malzeme:**

- Metal gövde
- Krom çerçeve
- Opal cam
- Kaplama

Material:


- Steel housing
- Chrome frame
- Opal glass
- Plated

Renk:


- Krom

Colour:

- Chrome



E 27



Dulux Star



2x20 W



38.5x38.5x21 cm



1 pcs



JC761

**Malzeme:**

- Metal gövde
- Krom çerçeve
- Opal cam
- Kaplama

Material:


- Steel housing
- Chrome frame
- Opal glass
- Plated

Renk:


- Krom

Colour:

- Chrome



E 27



Dulux Star



2x20 W




66x33x55.5 cm



6 pcs



JC762

**Malzeme:**

- Metal gövde
- Krom çerçeve
- Opal cam
- Kaplama

Material:

- Steel housing
- Chrome frame
- Opal glass
- Plated

Renk:

- Krom

Colour:

- Chrome



E 27



Spiral



2x18 W




37x37x18 cm



1 pcs

IP 20
CE

JC052

**Malzeme:**

- Metal gövde
- Akrilik difüzör
- Kaplama

Material:

- Steel housing
- Acrylic diffuser
- Plated

Renk:

- Krom

Colour:

- Chrome



E 27



Dulux Star



2x20 W



71x52x36.5 cm



8 pcs

IP 44
CE

JC050

**Malzeme:**

- Paslanmaz çelik gövde
- Opal cam difüzör

Material:


- Stainless steel housing
- Opal glass diffuser

Renk:

- Saten Nikel

Colour:

- Satin Nickel



E 14



Spiral



11 W



69x30x58.5 cm



10 pcs

IP44
CE

JC051

**Malzeme:**

- Paslanmaz çelik gövde
- Opal cam difüzör

Material:


- Stainless steel housing
- Opal glass diffuser

Renk:

- Saten Nikel

Colour:

- Satin Nickel



E 14



Spiral



3x11 W



69x39.5x40.5 cm



5 pcs

IP44
CE

JC751

**Malzeme:**

- Metal gövde
- Buzlu cam
- Kaplama

Material:


- Steel housing
- Frosted glass
- Plated

Renk:


- Saten Nikel

Colour:

- Satin Nickel



E 27



Dulux Star



2x20 W



68x34x43.5 cm



6 pcs

IP20
CE

JC752

**Malzeme:**

- Metal gövde
- Buzlu cam
- Kaplama

Material:


- Steel housing
- Frosted glass
- Plated

Renk:


- Saten Nikel

Colour:

- Satin Nickel



E 27



Dulux Star



2x20 W




68x34x48 cm



6 pcs

IP20
CE

JC049

**Malzeme:**

- Metal gövde
- Alüminyum çerçeve
- Akrilik difüzör

Material:


- Steel housing
- Aluminium frame
- Acrylic diffuser

Renk:


- Saten alüminyum

Colour:

- Satin aluminium



JC698

**Malzeme:**

- Metal gövde
- Kısmi buzlu cam
- Elektrostatik toz boyama veya kaplama

Material:


- Steel housing
- Semi-frosted glass
- Electrostatic powder coated or plated

Renk:


- Mat Beyaz
- Saten Nikel

Colour:

- Matt White
- Satin Nickel



JC040

**Malzeme:**

- ABS gövde
- Polistren kapak
- Dahili elektronik balast
- 4000 K ampullü

Material:


- ABS housing
- Polystyrene cover
- Built-in electronic ballast
- Supplied with 4000 K lamp

Renk:


- Beyaz
- Gümüş Gri

Colour:

- White
- Silver Gray



JC041

**Malzeme:**

- Metal gövde
- Polistren kapak
- Dahili elektronik balast
- 4000 K ampullü

Material:


- Steel housing
- Polystyrene cover
- Built-in electronic ballast
- Supplied with 4000 K lamp

Renk:

- Beyaz

Colour:

- White



JC042

**Malzeme:**

- Metal gövde
- Polistren difüzör
- Dahili elektronik balast
- 4000 K ampüllü

Material:


- Steel housing
- Polystyrene diffuser
- Built-in electronic ballast
- Supplied with 4000 K bulb

Renk:

- Krom

Colour:

- Chrome



2GX13



T 5 FC



55 W



53.2x53.2x15.5 cm



1 pcs



JC043

**Malzeme:**

- Metal gövde
- Paslanmaz çelik çerçeve
- Akrilik difüzör
- Dahili elektronik balast
- 4000 K ampüllü

Material:


- Steel housing
- Stainless steel frame
- Acrylic diffuser
- Built-in electronic ballast
- Supplied with 4000 K bulb

Renk:

- Krom

Colour:

- Chrome



2GX13



T 5 FC



55 W



60x49x49 cm



5 pcs



JC044

**Malzeme:**

- Alüminyum gövde
- Akrilik difüzör
- Dahili elektronik balast
- 4000 K ampüllü

Material:


- Aluminium housing
- Acrylic diffuser
- Built-in electronic ballast
- Supplied with 4000 K bulb

Renk:

- Alüminyum

Colour:

- Aluminium



2GX13



T 5 FC



55 W



50.5x13.5x50.5 cm




1 pcs





JC035

**Malzeme:**

- ABS gövde
- Polistren kapak
- Dahili elektronik balast
- 6500 K ampullü

Material:

- ABS housing
- Polystyrene cover
- Built-in electronic ballast
- Supplied with 6500 K lamp

Renk:

- Beyaz

Colour:

- White



2G 11



Dulux L



1x36 W




55x24x40 cm



6 pcs

IP20
CE


JC036

**Malzeme:**

- ABS gövde
- Polistren kapak
- Dahili elektronik balast
- 6500 K ampullü

Material:

- ABS housing
- Polystyrene cover
- Built-in electronic ballast
- Supplied with 6500 K lamp

Renk:

- Beyaz

Colour:

- White



2G 11



Dulux L



2x36 W




57x50x33 cm



6 pcs

IP20
CE


JC037

**Malzeme:**

- ABS gövde
- Polistren kapak
- Dahili elektronik balast
- 6500 K ampullü

Material:

- ABS housing
- Polystyrene cover
- Built-in electronic ballast
- Supplied with 6500 K lamp

Renk:

- Beyaz

Colour:

- White



2G 11



Dulux L



3x36 W



57x34x58 cm



4 pcs

IP20
CE

JC053

**Malzeme:**

- Alüminyum gövde
- Hareketli

Material:

- Aluminium housing
- Adjustable lamp position



Renk:

- Fırçalanmış Alüminyum

Colour:

- Brushed Aluminium

NEW



GU 10



Halopar 16



50 W



54.5x23x31 cm



20 pcs



JC054

**Malzeme:**

- Alüminyum gövde
- Hareketli

Material:

- Aluminium housing
- Adjustable lamp position



Renk:

- Fırçalanmış Alüminyum

Colour:

- Brushed Aluminium

NEW



GU 10



Halopar 16



50 W




54.5x23x31 cm



20 pcs



JC045

**Malzeme:**

- Metal gövde
- Elektrostatik toz boyama

Material:

- Steel housing
- Electrostatic powder coated

Renk:

- Beyaz & Gümüş Gri

Colour:

- White & Silver Gray



GU 10



Halopar 16



50 W



54.5x23x26 cm




20 pcs

IP20
CE

NEW

JC055

**Malzeme:**

- Alüminyum gövde
- Hareketli
- Elektrostatik toz boyama

Material:

- Aluminium housing
- Adjustable lamp position
- Electrostatic powder coated

Renk:

- Beyaz & Gümüş Gri

Colour:

- White & Silver Gray



GU 10



Halopar 16



50 W



54.5x23x27 cm



20 pcs

IP20
CE

JC056

NEW

**Malzeme:**

- Alüminyum gövde
- Elektrostatik toz boyama

Material:


- Aluminium housing
- Electrostatic powder coated

Renk:

- Beyaz

Colour:

- White



GU 10



Halopar 16



50 W



54.5x23x27 cm



48 pcs

IP20
CE

JC057

NEW

**Malzeme:**

- Alüminyum gövde
- Elektrostatik toz boyama

Material:


- Aluminium housing
- Electrostatic powder coated

Renk:

- Beyaz

Colour:

- White



E 27



Spiral



13 W



54.5x23x35 cm




20 pcs

IP20
CE

NEW

JC058

**Malzeme:**

- Alüminyum gövde
- Hareketli
- Elektrostatik toz boyama

Material:

- Aluminium housing
- Adjustable lamp position
- Electrostatic powder coated

Renk:

- Beyaz

Colour:

- White



GU 10



Halopar 16



50 W




47x32x19 cm



12 pcs

IP20
CE

JC046

**Malzeme:**

- Alüminyum gövde
- Altın renkli alüminyum reflektör
- Elektrostatik toz boyama

Material:

- Aluminium housing
- Aluminium reflector in gold colour
- Electrostatic powder coated

Renk:

- Siyah&Altın

Colour:

- Black&Gold



GU 10



Halopar 16



50 W



52x22x31 cm



20 pcs

IP20
CE

JC047

**Malzeme:**

- Metal gövde
- Opal cam

Material:


- Steel housing
- Opal glass

Renk:

- Opal

Colour:

- Opal



E 27



Spiral



18 W



33x33x22.5 cm



1 pcs

IP 20
CE

JC760

**Malzeme:**

- Metal gövde
- Opal cam

Material:


- Steel housing
- Opal glass

Renk:

- Opal

Colour:

- Opal



E 27



Spiral



2x18 W



70x35x62 cm



1 pcs

IP 20
CE

JC048

**Malzeme:**

- Metal gövde
- Opal cam

Material:


- Steel housing
- Opal glass

Renk:

- Opal

Colour:

- Opal



E 27



Spiral



2x18 W



41x41x25 cm




1 pcs

IP 20
CE

NEW LED

LC437

**Malzeme:**

- Alüminyum enjeksiyon gövde
- Opal polikarbonat difüzör
- Beyaz (6500 K-1997 LM) veya sarı (3000 K-1797 LM) LED
- Elektrostatik toz boyama
- Dahili LED trafolu

Material:

- Die-cast aluminium housin
- Opal polycarbonate diffuser
- White (6500 K-1997 LM) or yellow (3000 K-1797 LM) LED
- Electrostatic powder coated
- Built-in LED driver

Renk:

- Beyaz

Colour:

- White



Epistar SMD LED

SYSTEM POWER

30 W



50x32.5x33.5 cm




10 pcs



NEW LED

LC438

**Malzeme:**

- Alüminyum enjeksiyon gövde
- Opal polikarbonat difüzör
- Beyaz (6500 K-2174 LM) veya sarı (3000 K-1957 LM) LED
- Elektrostatik toz boyama
- Dahili LED trafolu

Material:


- Die-cast aluminium housin
- Opal polycarbonate diffuser
- White (6500 K-2174 LM) or yellow (3000 K-1957 LM) LED
- Electrostatic powder coated
- Built-in LED driver

Renk:

- Beyaz

Colour:

- White



Epistar SMD LED

SYSTEM POWER

30 W



50x32.5x33.5 cm



10 pcs



JE108

JE113

JE114

JE121

JE128

**Malzeme:**

- Plastik muhafazalı, anahtarlı, plastik gövde
- Dahili elektronik balast
- 1.5 m fişli kablolu
- Birbirine eklenebilir
- Besleme: 230 V/50 Hz
- 6500 K ampullü

Material:



- Plastic housing with plastic cover and switch
- Built-in electronic ballast
- 1.5 m power cord with plug
- Linkable
- Operating voltage: 230 V/50 Hz
- Supplied with 6500 K lamp

Renk:

- Beyaz

Colour:

- White



			W	L			IP 20	CE
JE108	G 5	T 5	1x8 W	343 mm	37x42x21 cm	30 pcs		
JE113	G 5	T 5	1x13 W	573 mm	58.5x42x21 cm	30 pcs		
JE114	G 5	T 5	1x14 W	585 mm	63.5x42x21 cm	30 pcs		
JE121	G 5	T 5	1x21 W	904 mm	92x33.5x18 cm	20 pcs		
JE128	G 5	T 5	1x28 W	1204 mm	123x33.5x18 cm	20 pcs		


JE208

JE213

JE214

JE221

JE228

**Malzeme:**

- Plastik muhafazalı, anahtarlı alüminyum gövde
- Dahili elektronik balast
- 1.5 m fişli kablolu
- Birbirine eklenebilir
- Besleme: 230 V/50 Hz
- 6500 K ampullü

Material:

- Light-Weight aluminium housing with plastic cover and switch
- Built-in electronic ballast
- 1.5 m power cord with plug
- Linkable
- Operating voltage: 230 V/50 Hz
- Supplied with 6500 K lamp

Renk:

- Gümüş Gri

Colour:

- Silver Gray

**W****L****IP**
20
CE

Model	Lamp Base	Power (W)	Length (mm)	Dimensions (mm)	Quantity (pcs)	
JE208	G 5	T 5	1x8 W	341 mm	35.5x44.5x21 cm	30 pcs
JE213	G 5	T 5	1x13 W	571 mm	58x44.5x21 cm	30 pcs
JE214	G 5	T 5	1x14 W	583 mm	76x32x20.5 cm	30 pcs
JE221	G 5	T 5	1x21 W	903 mm	104x26x18 cm	20 pcs
JE228	G 5	T 5	1x28 W	1202 mm	133.5x26x17.5 cm	20 pcs

JE318

**Malzeme:**

- Plastik muhafazalı, alüminyum gövde
- Dahili elektronik balast
- Besleme: 230 V/50 Hz
- 6500 K ampullü

Material:


- Light-Weight aluminium housing with plastic cover
- Built-in electronic ballast
- Operating voltage: 230 V/50 Hz
- Supplied with 6500 K lamp

Renk:

- Beyaz

Colour:

- White



JE336

**Malzeme:**

- Plastik muhafazalı, alüminyum gövde
- Dahili elektronik balast
- Besleme: 230 V/50 Hz
- 6500 K ampullü

Material:


- Light-Weight aluminium housing with plastic cover
- Built-in electronic ballast
- Operating voltage: 230 V/50 Hz
- Supplied with 6500 K lamp

Renk:

- Beyaz

Colour:

- White





JE718

**Malzeme:**

- Plastik muhafazalı, alüminyum gövde
- Dahili elektronik balast
- Besleme: 230 V/50 Hz
- 6500 K ampullü

Material:



- Light-Weight aluminium housing with plastic cover
- Built-in electronic ballast
- Operating voltage: 230 V/50 Hz
- Supplied with 6500 K lamp

Renk:

- Beyaz

Colour:

- White



G 13



T 8

W

2x18 W



65.5x43.5x22 cm



12 pcs




JE736

**Malzeme:**

- Plastik muhafazalı, alüminyum gövde
- Dahili elektronik balast
- Besleme: 230 V/50 Hz
- 6500 K ampullü

Material:



- Light-Weight aluminium housing with plastic cover
- Built-in electronic ballast
- Operating voltage: 230 V/50 Hz
- Supplied with 6500 K lamp

Renk:

- Beyaz

Colour:

- White



G 13



T 8

W

2x36 W



126.5x43.5x22 cm



12 pcs



JE118
JE136**Malzeme:**


- Plastik muhafazalı, anahtarlı, alüminyum gövde
- Dahili elektronik balast
- Besleme: 230 V/50 Hz
- 6500 K ampullü

Material:

- Light-Weight aluminium housing with plastic cover and switch
- Built-in electronic ballast
- Operating voltage: 230 V/50 Hz
- Supplied with 6500 K lamp

Renk:
• Beyaz**Colour:**
• White

A-electronic



		W	L			IP20 CE
JE118 G 13	T 8	1x18 W	670 mm	68.5x36x20 cm	20 pcs	
JE136 G 13	T 8	1x36 W	1280 mm	129.5x22x20 cm	12 pcs	

JE508
JE513**Malzeme:**


- Plastik muhafazalı, anahtarlı, plastik gövde
- Dahili elektronik balast
- 1.5 m fişli kablolu
- Besleme: 230 V/50 Hz
- 6500 K ampullü

Material:

- Plastic housing with plastic cover and switch
- Built-in electronic ballast
- 1.5 m power cord with plug
- Operating voltage: 230 V/50 Hz
- Supplied with 6500 K lamp

Renk:
• Beyaz**Colour:**
• White

A-electronic



		W	L			IP20 CE
JE508 G 5	T 5	1x8 W	346 mm	36x24x32 cm	20 pcs	
JE513 G 5	T 5	1x13 W	578 mm	57x24x32 cm	20 pcs	

JE218

**Malzeme:**


- Plastik muhafazalı, anahtarlı, prizli alüminyum gövde
- Dahili elektronik balast
- Besleme: 230 V/50 Hz
- 6500 K ampullü

Material:

- Light-weight aluminium housing with plastic cover, switch and sockets
- Built-in electronic ballast
- Operating voltage: 230 V/50 Hz
- Supplied with 6500 K lamp


Renk:
• Beyaz**Colour:**
• White

A-electronic



		W			IP20 CE
G 13	T 8	1x18 W	78x28x30.5 cm	12 pcs	

LED

LE108
LE113
LE121
LE128**Malzeme:**

- Plastik muhafazalı, anahtarlı plastik gövde
- 3000 K LED
- 1.8 m fişli kablolu
- Birbirine eklenebilir
- Dahili LED trafolu

Material:

- Plastic housing with plastic cover and switch
- 3000 K LED
- 1.8 m power cord with plug
- Linkable
- Built-in LED driver

Renk:

- Beyaz


Colour:

- White



		W	L	LM			IP 20 CE
LE108	SMD LED	4.8 W	296 mm	410	42x37x21 cm	30 pcs	
LE113	SMD LED	8.4 W	525 mm	720	58.5x42x21 cm	30 pcs	
LE121	SMD LED	12 W	904 mm	1000	58.5x42x21 cm	30 pcs	
LE128	SMD LED	16.2 W	1157 mm	1370	58.5x42x21 cm	30 pcs	

LED

LE408, LE413,
LE421, LE428**Malzeme:**

- Cam muhafazalı, anahtarlı alüminyum gövde
- 3000 K LED
- 1.8 m fişli kablolu
- Birbirine eklenebilir
- Dahili LED trafolu

Material:

- Light-Weight aluminium housing with glass cover and switch
- 3000 K LED
- 1.8 m power cord with plug
- Linkable
- Built-in LED driver

Renk:

- Gümüş Gri


Colour:

- Silver Gray



		W	L	LM			IP 20 CE
LE408	SMD LED	4.8 W	350 mm	410	42x37x21.5 cm	20 pcs	
LE413	SMD LED	8.4 W	580 mm	720	60x40x21.5 cm	20 pcs	
LE421	SMD LED	12 W	890 mm	1000	60x40x21.5 cm	20 pcs	
LE428	SMD LED	16.2 W	1191 mm	1370	60x40x21.5 cm	20 pcs	

electronic

JE408, JE413, JE414,
JE421, JE428**Malzeme:**

- Cam muhafazalı, anahtarlı alüminyum gövde
- Dahili elektronik balast
- 1.5 m fişli kablolu
- Birbirine eklenebilir
- Besleme: 230 V/50 Hz
- 6500 K ampullü

Material:

- Light-Weight aluminium housing with glass cover and switch
- Built-in electronic ballast
- 1.5 m power cord with plug
- Linkable
- Operating voltage: 230 V/50 Hz
- Supplied with 6500 K lamp

Renk:

- Gümüş Gri

Colour:

- Silver Gray



			W	L			IP 20 CE
JE408	G 5	T 5	1x8 W	350 mm	40x37x25 cm	20 pcs	
JE413	G 5	T 5	1x13 W	580 mm	60x40x25cm	20 pcs	
JE414	G 5	T 5	1x14 W	612 mm	63x40x25cm	20 pcs	
JE421	G 5	T 5	1x21 W	912 mm	97x30x20 cm	12 pcs	
JE428	G 5	T 5	1x28 W	1212 mm	123x30x20 cm	12 pcs	

LE030

LE060

LE090

LE120

LED

**Malzeme:**

- Plastik muhafazalı
- 3000 K LED
- Birbirine eklenebilir
- Dahili LED trafolu

Material:


- With plastic cover
- 3000 K LED
- Linkable
- Built-in LED driver

Renk:


- Beyaz

Colour:

- White



→22←



SYSTEM POWER

L


LM



IP20

CE

LE030	SMD LED	4 W	300 mm	320	44.5x19.5x14 cm	25 pcs
LE060	SMD LED	7 W	600 mm	560	70.6x19.5x14	25 pcs
LE090	SMD LED	10 W	900 mm	800	100.6x19.5x14	25 pcs
LE120	SMD LED	14 W	1200 mm	1120	130.6x19.5x14	25 pcs

**Malzeme:**


- Tek çipli iç mekan için şerit LED

Material:

- One chip LED strip for indoors

Kod Code	K	Max W/M	V	Lm/M	Işık Açısı/Beam Angle	Led/M	IP	Kutu Adedi Quantity Per Carton	Kutu Ölçüleri Packaging Meas. (cm)
LE207 B	6500	4.8	DC 12	240	140°	60 SMD 3528	20	2x5 M	34x26x23.5/200 M
LE207 S	3000	4.8	DC 12	210	140°	60 SMD 3528	20	2x5 M	34x26x23.5/200 M
LE207 M	Mavi/Blue	4.8	DC 12	-	140°	60 SMD 3528	20	2x5 M	34x26x23.5/200 M

LED

**Malzeme:**


- Tek çipli dış mekan için şerit LED

Material:

- One chip LED strip for outdoors

Kod Code	K	Max W/M	V	Lm/M	Işık Açısı/Beam Angle	Led/M	IP	Kutu Adedi Quantity Per Carton	Kutu Ölçüleri Packaging Meas. (cm)
LE217 B	6500	4.8	DC 12	240	140°	60 SMD 3528	44	5 M	34x26x23.5/100 M
LE217 S	3000	4.8	DC 12	210	140°	60 SMD 3528	44	5 M	34x26x23.5/100 M
LE217 M	Mavi/Blue	4.8	DC 12	-	140°	60 SMD 3528	44	5 M	34x26x23.5/100 M

LED

**Malzeme:**


- Üç çipli iç mekan için şerit LED

Material:

- Three chip LED strip for indoors

Kod Code	K	Max W/M	V	Lm/M	Işık Açısı/Beam Angle	Led/M	IP	Kutu Adedi Quantity Per Carton	Kutu Ölçüleri Packaging Meas. (cm)
LE208 B	6500	14.4	DC 12	780	140°	60 SMD 5050	20	2x5 M	34x26x23.5/200 M
LE208 S	3000	14.4	DC 12	700	140°	60 SMD 5050	20	2x5 M	34x26x23.5/200 M
LE208 M	Mavi/Blue	14.4	DC 12	-	140°	60 SMD 5050	20	2x5 M	34x26x23.5/200 M

LED

**Malzeme:**

- Üç çipli dış mekan için şerit LED

Material:

- Three chip LED strip for outdoors

Kod Code	K	Max W/M	V	Lm/M	Işık Açısı/Beam Angle	Led/M	IP	Kutu Adedi Quantity Per Carton	Kutu Ölçüleri Packaging Meas. (cm)
LE218 B	6500	14.4	DC 12	780	140°	60 SMD 5050	44	5 M	34x26x23.5/100 M
LE218 S	3000	14.4	DC 12	700	140°	60 SMD 5050	44	5 M	34x26x23.5/100 M
LE218 M	Mavi/Blue	14.4	DC 12	-	140°	60 SMD 5050	44	5 M	34x26x23.5/100 M